

ICD-10-CM Oculofacial

Ectropion							
Туре	RT	LT	ου	SINGLE CODE	UNSPECIFIED		
Cicatricial	H02.111, H02.112	H02.114, H02.115	х	x	H02.113, H02.116, H02.119		
Mechanical	H02.121, H02.122	H02.124, H02.125	х	x	H 02.123, H 02.126, H 02.129		
Senile	H02.131, H02.132	H02.134, H02.135	x	x	H02.133, H02.136, H02.139		
Spastic	H02.141, H02.142	H02.144, H02.145	х	x	H02.143, H02.146, H02.149		
These codes include lid laterality as the last character: 1-	These codes include lid laterality as the last character: 1- RUL, 2- RLL, 4-LUL, 5-LLL						
Entropion							
Туре	RT	LT	ou	SINGLE CODE	UNSPECIFIED		
Cicatricial	H02.011, H01.012	H02.014, H02.015	х	x	H02.013, H02.016, H02.019		
Mechanical	H02.021, H02.022	H02.024, H02.025	x	x	HO2.113, HO2.116, HO2.119		
Senile	H02. 031, H02. 032,	H02.034, H02.035	x	x	H02.033, H02.036, H02.039		
Spastic	H02.041, H02.042	H02.044, H02.045	x	x	H02.143, H02.146, H02.149		
These codes include lid laterality as the last character: 1- RUL, 2- RLL, 4-LUL, 5-LLL							



Eyelid					
Туре	RT	LT	ου	SINGLE CODE	UNSPECIFIED
Abscess of eyelid	H00.031, H00.032	H00.034, H00.035	х	x	H00.033, H00.036, H00.039
Basal cell carcinoma of skin of eyelid, including canthus	C44.112	C44.119	×	x	C44.111
Blepharitis, unspecified	H01.001, H01.002	H01.004, H01.005	x	x	H01.003, H01.006, H01.009
Blepharochalasis (eg. pseudoptosis)	H02.31, H02.32	H02.34, H02.35	×	x	H02.30, H02.33, H02.36
Belpharophimosis (eg. Ankyloblepharon)	H02.521, H02.522	H02.524, H02.525	×	x	H02.523, H02.526, H02.529
Blepharospasm	x	×	×	G24.5	×
Chalzion	H00.11, H00.12	H00.14, H00.15	x	x	H00.13, H00.16, H00.19
Cysts of eyelids	H02.821, H02.822	H02.824, H02.825	x	x	H02.823, H02.826, H02.829
Dermatochalasis	H02.831, H02.832	H02.834, H02.835	×	x	H02.833, H02.836, H02.839
Edema of eyelid	H02.841, H02.842	H02.844, H02.845	x	x	H02.843, H02.846, H02.849
Hordeolum externum	H00.011, H00.012	H00.014, H00.015	x	x	H00.013, H00.016, H00.019
Hordeolum internum	H00.021, H00.022	H00.024, H00.025	×	x	H00.023, H00.026, H00.029
Other benign neoplasm of skin of eyelid, involving canthus	D23.11	D23.12	×	×	D23.10
Squamous blepharitis	H01.021, H01.022	H01.024, H01.025	×	х	H01.023, H01.026, H01.029
Squamous cell carcinoma of skin of eyelid, including canthus	C44.122	C44.129	×	×	C44.121
Trichiasis without entropion	H02.051, H02.052	H02.054, H02.055	х	x	H 02.053, H 02.056, H 02.059
Ulcerative blepharitis	H01.011, H01.012	H01.014, H01.015	X	X	H01.013, H01.016, H01.019
Boxes with two codes listed include lid laterality as the last character: 1- RUL, 2- RLL, 4-LUL, 5-LLL					



Fracture							
Туре	RT	LT	ου	SINGLE CODE	UNSPECIFIED		
The appropriate 7th character to be added to below: A-initial encounter for closed fracture, B-initial encounter for open fracture, D-subsequent encounter for fracture with routine healing, G- subsequent encounter for fracture with delayed healing, K- subsequent encounter for fracture with nonunion, or S-Sequela							
Fracture, orbital floor	S02.31X-	S02.32X-	x	x	\$02.30X-		
Malar fracture	S02.40A-	S02.40B-	x	x	\$02.400-		
Maxillary fracture	S02.40C-	S02.40D-	x	x	\$02.401-		
Zygomatic fracture	S02.40E-	S02.40F-	x	x	\$02.402-		
Lacrimal							
Туре	RT	LT	ου	SINGLE CODE	UNSPECIFIED		
Acquired stenosis of nasolacrimal duct	H04.551	H04.552	H04.553	x	H04.559		
Acute Dacryoadenitis	H04.011	H04.012	H04.013	x	H04.019		
Chronic Dacryoadenitis	H04.021	H04.022	H04.023	x	H04.029		
Dacryops	H04.111	H04.112	H04.113	x	H04.119		
Dry eye syndrome	H04.121	H04.122	H04.123	х	H04.129		
Epiphora, due to excess lacrimation	H04.211	H04.212	H04.213	х	H04.219		
Epiphora due to insufficient drainage	H04.221	H04.222	H04.223	х	H04.229		
Eversion of lacrimal punctum	H04.521	H04.522	H04.523	x	H04.529		
Lacrimal cyst	H04.131	H04.132	H04.133	х	H04.139		
Stenosis of lacrimal canaliculi	H04.541	H04.542	H04.543	х	H04.549		
Stenosis of lacrimal punctum	H04.561	H04.562	H04.563	x	H04.569		



Lagophthalmos						
Туре	RT	LT	ου	SINGLE CODE	UNSPECIFIED	
Cicatricial	H02.211, H02.212	H02.214, H02.215	x	x	H02.213, H02.216, H02.219	
Eyelid retraction or lag	H02.531, H02.532	H02.534, H02.535	x	x	H02.533, H02.536, H02.539	
Mechanical	H02.221, H02.222	H02.224, H02.225	х	х	H02.233, H02.236, H02.239	
Paralytic	H02.231, H02.232	H02.234, H02.235	x	x	H02.223, H02.226, H02.229	
Unspecified	H02.201, H02.202	H02.204, H02.205	х	x	H02.203, H02.206, H02.209	
These codes include lid laterality as the last character: 1-	RUL, 2- RLL,	4-LUL, 5-LLL				
Miscellaneous						
Туре	RT	LT	ΟU	SINGLE CODE	UNSPECIFIED	
Actinic keratosis	x	x	x	L57.0	x	
Atrophy of globe (eg. Phthisis bulbi)	H44.521	H44.522	H44.523	×	H44.529	
Thyrotoxicosis with diffuse goiter with thyrotoxic crisis or storm (eg. Graves' Disease)	×	×	x	E05.01	x	
Thyrotoxicosis with diffuse goiter without thyrotoxic crisis or storm (eg. Graves' Disease)	x	x	x	E05.00	x	
Other seborrheic keratosis	x	x	x	L82.1	x	
The appropriate 7th character to be added to below: A-initial encounter, D-subsequent encounter, or S-Sequela						
Burn of eyelid and periocular area	T26.01X-	T26.02X-	x	x	T26.00X-	
Contusion of eyelid and periocular area	S00.11X-	S00.12X-	x	x	\$00.10X-	
Foreign body in conjunctival sac	T15.11X-	T15.12X-	×	×	T15.10X-	
Foreign body in other and multiple parts of external eye (eg. in lacrimal punctum)	T15.81X-	T15.82X-	x	x	T15.80X-	



Orbit					
Туре	RT	LT	ου	SINGLE CODE	UNSPECIFIED
Acquired absence of eye	x	×	x	Z90.01	x
Constant exophthalmos	H05.241	H05.242	H05.243	x	H05.249
Edema of orbit	H05.221	H05.222	H05.223	x	H05.229
Hemorrhage of orbit	H05.231	H05.232	H05.233	×	H05.239
Intermittent exophthalmos	H05.251	H05.252	H05.253	×	H05.259
Pulsating exophthalmos	H05.261	H05.262	H05.263	×	H05.269
Ptosis					
Туре	RT	LT	ου	SINGLE CODE	UNSPECIFIED
Congenital	×	×	x	Q10.0	x
Mechanical	H02.411	H02.412	H02.413	x	H02.419
Myogenic	H02.421	H02.422	H02.423	x	H02.429
Paralytic	H02.431	H02.432	H02.433	x	H02.439

Disclaimer and Limitation of Liability: All information provided by the American Academy of Ophthalmology, its employees, agents, or representatives participating in the Academy's coding service is as current and reliable as reasonably possible. The Academy does not provide legal or accounting services or advice. You should seek legal and/ or accounting advice if appropriate to your situation. Coding is a complicated process involving continually changing rules and the application of judgment to factual situations. The Academy does not guarantee or warrant that either public or private payers will agree with the Academy's information or recommendations. The Academy hall not be liable to you or any other party to any extent whatsoever for errors in, or omissions from any such information provided by the Academy, its employees, agents, or representatives. The Academy's sole liability for any claim connected to its provision of coding information or services shall be limited to the amount paid by you by to the Academy for the information or coding service.

© 2016 American Academy of Ophthalmology

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior written permission from the publisher.