



ICD-10-CM Oculofacial

Ectropion					
Type	RT	LT	OU	SINGLE CODE	UNSPECIFIED
Cicatricial	H02.111, H02.112	H02.114, H02.115	X	X	H02.113, H02.116, H02.119
Mechanical	H02.121, H02.122	H02.124, H02.125	X	X	H02.123, H02.126, H02.129
<i>Paralytic</i>	<i>H02.151,</i> <i>H02.152</i>	<i>H02.154,</i> <i>H02.155</i>	X	X	<i>H02.153,</i> <i>H02.156,</i> <i>H02.159</i>
Senile	H02.131, H02.132	H02.134, H02.135	X	X	H02.133, H02.136, H02.139
Spastic	H02.141, H02.142	H02.144, H02.145	X	X	H02.143, H02.146, H02.149
These codes include lid laterality as the last character: 1-RUL, 2-RLL, 4-LUL, 5-LLL					
Entropion					
Type	RT	LT	OU	SINGLE CODE	UNSPECIFIED
Cicatricial	H02.011, H01.012	H02.014, H02.015	X	X	H02.013, H02.016, H02.019
Mechanical	H02.021, H02.022	H02.024, H02.025	X	X	H02.113, H02.116, H02.119
Senile	H02.031, H02.032,	H02.034, H02.035	X	X	H02.033, H02.036, H02.039
Spastic	H02.041, H02.042	H02.044, H02.045	X	X	H02.143, H02.146, H02.149
These codes include lid laterality as the last character: 1-RUL, 2-RLL, 4-LUL, 5-LLL					

Italicized codes are in effect as of October 1, 2018



Eyelid					
Type	RT	LT	OU	SINGLE CODE	UNSPECIFIED
Abscess of eyelid	H00.031, H00.032	H00.034, H00.035	X	X	H00.033, H00.036, H00.039
<i>Basal cell carcinoma of skin of eyelid, including canthus</i>	<i>C44.1121, C44.1122</i>	<i>C44.1191, C44.1192</i>	X	X	€44.111
<i>Blepharitis, unspecified</i>	H01.001, H01.002, <i>H01.00A</i>	H01.004, H01.005, <i>H01.00B</i>	X	X	H01.003, H01.006, H01.009
Blepharochalasis (eg. pseudoptosis)	H02.31, H02.32	H02.34, H02.35	X	X	H02.30, H02.33, H02.36
Blepharophimosis (eg. Ankyloblepharon)	H02.521, H02.522	H02.524, H02.525	X	X	H02.523, H02.526, H02.529
Blepharospasm	X	X	X	G24.5	X
Chalzion	H00.11, H00.12	H00.14, H00.15	X	X	H00.13, H00.16, H00.19
Cysts of eyelids	H02.821, H02.822	H02.824, H02.825	X	X	H02.823, H02.826, H02.829
Dermatochalasis	H02.831, H02.832	H02.834, H02.835	X	X	H02.833, H02.836, H02.839
Edema of eyelid	H02.841, H02.842	H02.844, H02.845	X	X	H02.843, H02.846, H02.849
Hordeolum externum	H00.011, H00.012	H00.014, H00.015	X	X	H00.013, H00.016, H00.019
Hordeolum internum	H00.021, H00.022	H00.024, H00.025	X	X	H00.023, H00.026, H00.029
<i>Malignant melanoma of eyelid, including canthus</i>	<i>C43.111, C43.112</i>	<i>C43.121, C43.122</i>	X	X	€43.110
<i>Meibomian gland dysfunction</i>	<i>H02.881, H02.882, H02.88A</i>	<i>H02.884, H02.885, H02.88B</i>	X	X	H02.883, H02.886, H02.889
<i>Other benign neoplasm of skin of eyelid, involving canthus</i>	<i>D23.111, D23.112</i>	<i>D23.121, D23.122</i>	X	X	Đ23.110
<i>Sebaceous cell carcinoma of skin of eyelid, including canthus</i>	<i>C44.1321, C44.1322</i>	<i>C44.1391, C44.1392</i>	X	X	€44.131
<i>Squamous blepharitis</i>	H01.021, H01.022, <i>H01.02A</i>	H01.024, H01.025, <i>H01.02B</i>	X	X	H01.023, H01.026, H01.029
<i>Squamous cell carcinoma of skin of eyelid, including canthus</i>	<i>C44.1221, C44.1222</i>	<i>C44.1291, C44.1292</i>	X	X	€44.121

Italicized codes are in effect as of October 1, 2018



Eyelid (Cont.)					
Trichiasis without entropion	H02.051, H02.052	H02.054, H02.055	X	X	H02.053, H02.056, H02.059
<i>Ulcerative blepharitis</i>	H01.011, H01.012, <i>H01.01A</i>	H01.014, H01.015, <i>H01.01B</i>	X	X	H01.013, H01.016, H01.019
Boxes with two codes listed include lid laterality as the last character: 1-RUL, 2-RLL, 4-LUL, 5-LLL, A-R upper & lower, B-L upper & lower, C-OU upper & lower					
Fracture					
Type	RT	LT	OU	SINGLE CODE	UNSPECIFIED
The appropriate 7th character to be added to below: A-initial encounter for closed fracture, B-initial encounter for open fracture, D-subsequent encounter for fracture with routine healing, G-subsequent encounter for fracture with delayed healing, K-subsequent encounter for fracture with nonunion, or S-Sequela					
Fracture, orbital floor	S02.31X-	S02.32X-	X	X	S02.30X-
Malar fracture	S02.40A-	S02.40B-	X	X	S02.400-
Maxillary fracture	S02.40C-	S02.40D-	X	X	S02.401-
Zygomatic fracture	S02.40E-	S02.40F-	X	X	S02.403-
Lacrimal					
Type	RT	LT	OU	SINGLE CODE	UNSPECIFIED
Acquired stenosis of nasolacrimal duct	H04.551	H04.552	H04.553	X	H04.559
Acute Dacryoadenitis	H04.011	H04.012	H04.013	X	H04.019
Chronic Dacryoadenitis	H04.021	H04.022	H04.023	X	H04.029
Dacryops	H04.111	H04.112	H04.113	X	H04.119
Dry eye syndrome	H04.121	H04.122	H04.123	X	H04.129
Epiphora due to excess lacrimation	H04.211	H04.212	H04.213	X	H04.219
Epiphora due to insufficient drainage	H04.221	H04.222	H04.223	X	H04.229
Eversion of lacrimal punctum	H04.521	H04.522	H04.523	X	H04.529
Lacrimal cyst	H04.131	H04.132	H04.133	X	H04.139
Stenosis of lacrimal canaliculi	H04.541	H04.542	H04.543	X	H04.549
Stenosis of lacrimal punctum	H04.561	H04.562	H04.563	X	H04.569

Italicized codes are in effect as of October 1, 2018



Lagophthalmos					
Type	RT	LT	OU	SINGLE CODE	UNSPECIFIED
<i>Cicatricial</i>	H02.211, H02.212, <i>H02.21A</i>	H02.214, H02.215, <i>H02.21B</i>	<i>H02.21C</i>	X	H02.213, H02.216, H02.219
Eyelid retraction or lag	H02.531, H02.532	H02.534, H02.535	X	X	H02.533, H02.536, H02.539
<i>Mechanical</i>	H02.221, H02.222 <i>H02.22A</i>	H02.224, H02.225, <i>H02.22B</i>	<i>H02.22C</i>	X	H02.233, H02.236, H02.239
<i>Paralytic</i>	H02.231, H02.232, <i>H02.23A</i>	H02.234, H02.235, <i>H02.23B</i>	<i>H02.23C</i>	X	H02.223, H02.226, H02.229
<i>Unspecified</i>	H02.201, H02.202, <i>H02.20A</i>	H02.204, H02.205, <i>H02.20B</i>	<i>H02.20C</i>	X	H02.203, H02.206, H02.209
These codes include lid laterality as the last character: 1-RUL, 2-RLL, 4-LUL, 5-LLL, A-R upper & lower, B-L upper & lower, C-OU upper & lower					
Miscellaneous					
Type	RT	LT	OU	SINGLE CODE	UNSPECIFIED
Actinic keratosis	X	X	X	L57.0	X
Atrophy of globe (eg. Phthisis bulbi)	H44.521	H44.522	H44.523	X	H44.529
<i>Clonic hemifacial spasm</i>	<i>G51.31</i>	<i>G51.32</i>	<i>G51.33</i>	X	<i>G51.39</i>
Floppy eyelid syndrome	X	X	X	H02.89	X
Thyrotoxicosis with diffuse goiter with thyrotoxic crisis or storm (eg. Graves' Disease)	X	X	X	E05.01	X
Thyrotoxicosis with diffuse goiter without thyrotoxic crisis or storm (eg. Graves' Disease)	X	X	E05.00	X	X
Other seborrheic keratosis	X	X	X	L82.1	X
<i>Other specified disorders of eye & adnexa</i>	X	X	X	<i>H57.89</i>	X
The appropriate 7th character to be added to below: A-initial encounter, D-subsequent encounter, or S-Sequela					
Burn of eyelid and periocular area	T26.01X-	T26.02X-	X	X	T26.00X-
Contusion of eyelid and periocular area	S00.11X-	S00.12X-	X	X	S00.10X-
Foreign body in conjunctival sac	T15.11X-	T15.12X-	X	X	T15.10X-
Foreign body in other and multiple parts of external eye (eg. in lacrimal punctum)	T15.81X-	T15.82X-	X	X	T15.80X-

Italicized codes are in effect as of October 1, 2018



Orbit					
Type	RT	LT	OU	SINGLE CODE	UNSPECIFIED
Acquired absence of eye	X	X	X	Z90.01	X
Constant exophthalmos	H05.241	H05.242	H05.243	X	H05.249
Edema of orbit	H05.221	H05.222	H05.223	X	H05.229
Hemorrhage of orbit	H05.231	H05.232	H05.233	X	H05.239
Intermittent exophthalmos	H05.251	H05.252	H05.253	X	H05.259
Pulsating exophthalmos	H05.261	H05.262	H05.263	X	H05.269
Ptosis					
Type	RT	LT	OU	SINGLE CODE	UNSPECIFIED
<i>Brow</i>	<i>H57.811</i>	<i>H57.812</i>	<i>H57.813</i>	X	<i>H57.819</i>
Congenital	X	X	X	Q10.0	X
Mechanical	H02.411	H02.412	H02.413	X	H02.419
Myogenic	H02.421	H02.422	H02.423	X	H02.429
Paralytic	H02.431	H02.432	H02.433	X	H02.439

Italicized codes are in effect as of October 1, 2018

Disclaimer and Limitation of Liability: All information provided by the American Academy of Ophthalmology, its employees, agents, or representatives participating in the Academy's coding service is as current and reliable as reasonably possible. The Academy does not provide legal or accounting services or advice. You should seek legal and/ or accounting advice if appropriate to your situation. Coding is a complicated process involving continually changing rules and the application of judgment to factual situations. The Academy does not guarantee or warrant that either public or private payers will agree with the Academy's information or recommendations. The Academy shall not be liable to you or any other party to any extent whatsoever for errors in, or omissions from any such information provided by the Academy, its employees, agents, or representatives. The Academy's sole liability for any claim connected to its provision of coding information or services shall be limited to the amount paid by you to the Academy for the information or coding service.

© 2019 American Academy of Ophthalmology

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior written permission from the publisher.