



ICD-10-CM Pediatric/Strabismus

| Amblyopia | H53.0- | | | | |
|---|----------------|----------------|----------------|-------------|--------------------|
| Type | RT | LT | OU | SINGLE CODE | UNSPECIFIED |
| Deprivation | H53.011 | H53.012 | H53.013 | X | H53.019 |
| Refractive | H53.021 | H53.022 | H53.023 | X | H53.029 |
| Strabismic | H53.031 | H53.032 | H53.033 | X | H53.039 |
| Suspect | H53.041 | H53.042 | H43.043 | X | H53.049 |
| Unspecified | H53.001 | H53.002 | H53.003 | X | H53.009 |
| | | | | | |
| Arthritis Includes, but not limited to: | M08.- | | | | |
| Type | RT | LT | OU | SINGLE CODE | UNSPECIFIED |
| Juvenile rheumatoid arthritis, unspecified | X | X | X | M08.00 | X |
| | | | | | |
| Conjunctivitis Includes, but not limited to: | H10.- | | | | |
| Type | RT | LT | OU | SINGLE CODE | UNSPECIFIED |
| Acute atopic | H10.11 | H10.12 | H10.13 | X | X |
| Acute follicular | H10.011 | H10.012 | H10.013 | X | H10.019 |
| Acute toxic | H10.211 | H10.212 | H10.213 | X | H10.219 |
| Angular blepharoconjunctivitis | H10.521 | H10.522 | H10.523 | X | H10.529 |
| Chronic follicular | H10.431 | H10.432 | H10.433 | X | H10.439 |
| Chronic giant papillary | H10.411 | H10.412 | H10.413 | X | H10.419 |
| Contact blepharoconjunctivitis | H10.531 | H10.532 | H10.533 | X | H10.539 |
| Due to adenovirus | X | X | X | B30.1 | X |
| Herpesviral | X | X | X | B00.53 | X |
| Neonatal | X | X | X | P39.1 | X |
| Other chronic allergic | X | X | X | H10.45 | X |
| Other mucopurulent | H10.021 | H10.022 | H10.023 | X | H10.029 |
| Phlyctenular keratoconjunctivitis | H16.251 | H16.252 | H16.253 | X | H16.259 |
| <i>Rosacea conjunctivitis</i> | <i>H10.821</i> | <i>H10.822</i> | <i>H10.823</i> | X | <i>H10.829</i> |
| Simple chronic | H10.421 | H10.422 | H10.423 | X | H10.429 |
| Vernal | X | X | X | H10.44 | X |
| | | | | | |

Italicized codes are in effect as of October 1, 2018



| Esotropia | | | | | |
|--|---------------------------------|---------------------------------|----|-------------|---------------------------------|
| | H50.0- | | | | |
| Type | RT | LT | OU | SINGLE CODE | UNSPECIFIED |
| Accommodative component in esotropia | X | X | X | H50.43 | X |
| Alternating | X | X | X | H50.05 | X |
| Alternating, with A pattern | X | X | X | H50.06 | X |
| Alternating, with V pattern | X | X | X | H50.07 | X |
| Alternating, other | X | X | X | H50.08 | X |
| Intermittent alternating | X | X | X | H50.32 | X |
| Intermittent monocular | H50.311 | H50.312 | X | X | X |
| Monocular | H50.011 | H50.012 | X | X | X |
| Monocular, with A pattern | H50.021 | H50.022 | X | X | X |
| Monocular, with V pattern | H50.031 | H50.032 | X | X | X |
| Monocular, with other noncomitancies | H50.041 | H50.042 | X | X | X |
| Unspecified | X | X | X | H50.00 | X |
| Exotropia | | | | | |
| | H50.0- | | | | |
| Type | RT | LT | OU | SINGLE CODE | UNSPECIFIED |
| Alternating | X | X | X | H50.15 | X |
| Alternating, with A pattern | X | X | X | H50.16 | X |
| Alternating, with V pattern | X | X | X | H50.17 | X |
| Alternating, other | X | X | X | H50.18 | X |
| Intermittent alternating | X | X | X | H50.34 | X |
| Intermittent monocular | H50.331 | H50.332 | X | X | X |
| Monocular | H50.111 | H50.112 | X | X | X |
| Monocular, with A pattern | H50.121 | H50.122 | X | X | X |
| Monocular, with V pattern | H50.131 | H50.132 | X | X | X |
| Monocular, with other noncomitancies | H50.141 | H50.142 | X | X | X |
| Unspecified | X | X | X | H50.10 | X |
| Eyelids Includes, but not limited to: | | | | | |
| Type | RT | LT | OU | SINGLE CODE | UNSPECIFIED |
| <i>Blepharitis, unspecified</i> | H01.001, H01.002, H01.00A | H01.004, H01.005' H01.00B | X | X | H01.003, H01.006; H01.009 |
| Chalazion | H00.11, H00.12 | H00.14, H00.15 | X | X | H00.13, H00.16; H00.19 |
| These codes include lid laterality as the last character: 1-RUL, 2-RLL, 4-LUL, 5-LLL | | | | | |



| Lacrimal Includes, but not limited to: | | | | | |
|---|---------|---------|---------|-------------|--------------------|
| Type | RT | LT | OU | SINGLE CODE | UNSPECIFIED |
| Acquired nasolacrimal duct stenosis | H04.551 | H04.552 | H04.553 | X | H04.559 |
| Congenital nasolacrimal duct stenosis and stricture | X | X | X | Q10.5 | X |
| Epiphora due to excess lacrimation | H04.211 | H04.212 | H04.213 | X | H04.219 |
| Epiphora due to insufficient drainage | H04.221 | H04.222 | H04.223 | X | H04.229 |
| Neonatal nasolacrimal duct obstruction | H04.531 | H04.532 | H04.533 | X | H04.539 |
| | | | | | |
| Lens Includes, but not limited to: | | | | | |
| Type | RT | LT | OU | SINGLE CODE | UNSPECIFIED |
| Aphakia | H27.01 | H27.02 | H27.03 | X | H27.00 |
| Anterior subcapsular polar infantile and juvenile cataract | H26.041 | H26.042 | H26.043 | X | H26.049 |
| Infantile and juvenile cortical, lamellar or zonular cataract | H26.011 | H26.012 | H26.013 | X | H26.019 |
| Infantile and juvenile nuclear cataract | H26.031 | H26.032 | H26.033 | X | H26.039 |
| Posterior subcapsular polar infantile and juvenile cataract | H26.051 | H26.052 | H26.053 | X | H26.059 |
| Pseudophakia | X | X | X | Z96.1 | X |
| Secondary cataract | H26.491 | H26.492 | H26.493 | X | H26.499 |
| Subluxation of lens | H27.111 | H27.112 | H27.113 | X | H27.119 |
| Total traumatic cataract | H26.131 | H26.132 | H26.133 | X | H26.139 |
| | | | | | |
| Mass Includes, but not limited to: | | | | | |
| Type | RT | LT | OU | SINGLE CODE | UNSPECIFIED |
| Benign neoplasm of orbit, unspecified site | D31.61 | D31.62 | X | X | D31.60 |
| Hemangioma of skin and subcutaneous sites | X | X | X | D18.01 | X |
| Hemangioma of other sites | X | X | X | D18.09 | X |
| | | | | | |
| Nystagmus | | | | | |
| Type | RT | LT | OU | SINGLE CODE | UNSPECIFIED |
| Congenital | X | X | X | H55.01 | X |
| Dissociated | X | X | X | H55.04 | X |
| Latent | X | X | X | H55.02 | X |
| Other forms | X | X | X | H55.09 | X |
| Unspecified | X | X | X | H55.00 | X |
| Visual deprivation | X | X | X | H55.03 | X |
| | | | | | |



| Palsies | | H49.- | | | | |
|--|---------|--------------|---------|----------------|--------------------|--|
| Type | RT | LT | OU | SINGLE CODE | UNSPECIFIED | |
| Third oculomotor nerve | H49.01 | H49.02 | H49.03 | X | H49.00 | |
| Fourth oculomotor nerve | H49.11 | H49.12 | H49.13 | X | H49.10 | |
| Sixth oculomotor nerve | H49.21 | H49.22 | H49.23 | X | H49.20 | |
| Other paralytic strabismus | H49.881 | H49.882 | H49.883 | X | H49.889 | |
| Progressive external ophthalmoplegia | H49.41 | H49.42 | H49.43 | X | H49.40 | |
| Total (external) ophthalmoplegia | H49.31 | H49.32 | H49.33 | X | H49.30 | |
| Unspecified | X | X | X | H49.9 | X | |
| Ptosis | | H02.- | | | | |
| Type | RT | LT | OU | SINGLE CODE | UNSPECIFIED | |
| Congenital | X | X | X | Q10.0 | X | |
| Mechanical | H02.411 | H02.412 | H02.413 | X | H02.419 | |
| Myogenic | H02.421 | H02.422 | H02.423 | X | H02.429 | |
| Paralytic | H02.431 | H02.432 | H02.433 | X | H02.439 | |
| Refractive | | H52.- | | | | |
| Type | RT | LT | OU | SINGLE CODE | UNSPECIFIED | |
| Anisometropia | X | X | X | H52.31 | X | |
| Astigmatism, irregular | H52.211 | H52.212 | H52.213 | X | H52.219 | |
| Astigmatism, regular | H52.221 | H52.222 | H52.223 | X | H52.229 | |
| Exam of eyes and vision with abnormal findings | X | X | X | Z01.01 | X | |
| Exam of eyes and vision without abnormal findings | X | X | X | Z01.00 | X | |
| Hypermetropia | H52.01 | H52.02 | H52.03 | X | H52.00 | |
| Myopia | H52.11 | H52.12 | H52.13 | X | H52.10 | |
| <i>Routine vision exam infant/child ≥28 days with abnormal findings</i> | X | X | X | <i>Z21.121</i> | X | |
| <i>Routine vision exam infant/child ≥28 days without abnormal findings</i> | X | X | X | <i>Z21.129</i> | X | |

Italicized codes are in effect as of October 1, 2018



| Retinopathy of Prematurity | | H35.1- | | | | |
|--------------------------------------|---------|---------------|---------|-------------|-------------|--|
| Type | RT | LT | OU | SINGLE CODE | UNSPECIFIED | |
| Stage 0 | H35.111 | H35.112 | H35.113 | X | H35.119 | |
| Stage 1 | H35.121 | H35.122 | H35.123 | X | H35.129 | |
| Stage 2 | H35.131 | H35.132 | H35.133 | X | H35.139 | |
| Stage 3 | H35.141 | H35.142 | H35.143 | X | H35.149 | |
| Stage 4 | H35.151 | H35.152 | H35.153 | X | H35.159 | |
| Stage 5 | H35.161 | H35.162 | H35.163 | X | H35.169 | |
| Unspecified | H35.101 | H35.102 | H35.103 | X | H35.109 | |
| Strabismus | | H50.- | | | | |
| Type | RT | LT | OU | SINGLE CODE | UNSPECIFIED | |
| Alternating heterophoria | X | X | X | H50.55 | X | |
| Cyclophoria | X | X | X | H50.54 | X | |
| Duane's Syndrome | H50.811 | H50.812 | X | X | X | |
| Esophoria | X | X | X | H50.51 | X | |
| Exophoria | X | X | X | H50.52 | X | |
| Heterophoria | X | X | X | H50.50 | X | |
| Hypertropia/Vertical | H50.21 | H50.22 | X | X | X | |
| Mechanical (Brown's Sheath syndrome) | H50.611 | H50.612 | X | H50.60 | X | |
| Other mechanical | X | X | X | H50.69 | X | |
| Other specified | X | X | X | H50.89 | X | |
| Pseudostrabismus | X | X | X | Q10.3 | X | |
| Unspecified | X | X | X | H50.9 | X | |
| Vertical heterophoria | X | X | X | H50.53 | X | |



| Systemic | | | | | |
|---|---------|---------|---------|-------------|--------------------|
| Type | RT | LT | OU | SINGLE CODE | UNSPECIFIED |
| Diabetes mellitus, type 1 without complications | X | X | X | E10.9 | X |
| Down's syndrome, unspecified | X | X | X | Q90.9 | X |
| Marfan's syndrome | X | X | X | Q87.42 | X |
| Myasthenia Gravis with (acute) exacerbation | X | X | X | G70.01 | X |
| Myasthenia Gravis without (acute) exacerbation | X | X | X | G70.00 | X |
| Neurofibromatosis, type 1 | X | X | X | Q85.01 | X |
| Neurofibromatosis, type 2 | X | X | X | Q85.02 | X |
| Neurofibromatosis, other | X | X | X | Q85.09 | X |
| Port Wine Stain | X | X | X | Q82.5 | X |
| Sturge-Weber | X | X | X | Q85.8 | X |
| Torticollis, congenital | X | X | X | Q68.0 | X |
| | | | | | |
| Uveitis Iridocyclitis | | | | | |
| Type | RT | LT | OU | SINGLE CODE | UNSPECIFIED |
| Chronic | H20.11 | H20.12 | H20.13 | X | H20.10 |
| Panuveitis | H44.111 | H44.112 | H44.113 | X | H44.119 |
| Posterior cyclitis | H30.21 | H30.22 | H30.23 | X | H30.20 |
| Primary | H20.011 | H20.012 | H20.013 | X | H20.019 |
| Secondary infectious | H20.031 | H20.032 | H20.033 | X | H20.039 |
| Secondary noninfectious | H20.041 | H20.042 | H20.043 | X | H20.049 |
| Sympathetic | H44.131 | H44.132 | H44.133 | X | H44.139 |
| | | | | | |



| Miscellaneous | | | | | |
|---|----------|----------|--------|---------------|---------------------|
| Type | RT | LT | OU | SINGLE CODE | UNSPECIFIED |
| Abrasion, conjunctival | S05.01X- | S05.02X- | X | X | S05.00X- |
| Abrasion, corneal | S05.01X- | S05.02X- | X | X | S05.00X- |
| Cerebral palsy, unspecified | X | X | X | G80.9 | X |
| Conjunctival foreign body | T15.11X- | T15.12X- | X | X | T15.10X- |
| Corneal foreign body | T15.01X- | T15.02X- | X | X | T15.10X- |
| The appropriate 7th character to be added: A-initial encounter or D-subsequent encounter | | | | | |
| Anisocoria | X | X | X | H57.02 | X |
| Aniridia | X | X | X | Q13.1 | X |
| Blepharospasm | X | X | X | G24.5 | X |
| Convergence Insufficiency | X | X | X | H51.11 | X |
| Cortical blindness | H47.611 | H47.612 | X | X | H47.619 |
| Diplopia | X | X | X | H53.2 | X |
| Headache NOS | X | X | X | R51 | X |
| Marcus Gunn's syndrome | X | X | X | Q07.8 | X |
| <i>Newborn affected by maternal use of unspecified drugs of addiction</i> | X | X | X | <i>P04.40</i> | X |
| Observation and evaluation of newborn for other specified suspected condition ruled out | X | X | X | Z05.8 | X |
| Ocular pain | H57.11 | H57.12 | H57.13 | X | H57.10 |
| Other cerebral palsy | X | X | X | G80.9 | X |
| Other specified disorders of binocular movement | X | X | X | H51.8 | X |
| Other specified disorders of eye and adnexa | X | X | X | H57.89 | X |
| Retinoblastoma | C69.21 | C69.22 | X | C69.20 | X |
| Unspecified disorder of eye and adnexa | X | X | X | H57.9 | X |
| Unspecified disorder of visual pathways | X | X | X | H47.9 | X |
| Unspecified intellectual disabilities | X | X | X | F79 | X |
| Unspecified visual loss | X | X | X | H54.7 | X |

Italicized codes are in effect as of October 1, 2018

Disclaimer and Limitation of Liability: All information provided by the American Academy of Ophthalmology, its employees, agents, or representatives participating in the Academy's coding service is as current and reliable as reasonably possible. The Academy does not provide legal or accounting services or advice. You should seek legal and/or accounting advice if appropriate to your situation. Coding is a complicated process involving continually changing rules and the application of judgment to factual situations. The Academy does not guarantee or warrant that either public or private payers will agree with the Academy's information or recommendations. The Academy shall not be liable to you or any other party to any extent whatsoever for errors in, or omissions from any such information provided by the Academy, its employees, agents, or representatives. The Academy's sole liability for any claim connected to its provision of coding information or services shall be limited to the amount paid by you to the Academy for the information or coding service.

© 2019 American Academy of Ophthalmology

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior written permission from the publisher.