


Re contact lenses: What does the term Dk mean?

Q/A



Re contact lenses: What does the term Dk mean?
 Dk is a measure of two words





• Re contact lenses: What does the term Dk mean? Dk is a measure of O_2 permeability.




 Re contact lenses: What does the term Dk mean? Dk is a measure of O_2 permeability. It is the product of two factors: coefficient (D) and two words two words (same first word)

constant (k).





Re contact lenses: What does the term Dk mean?
 Dk is a measure of O₂ permeability. It is the product of two factors: O₂ diffusion coefficient (D) and O₂ solubility constant (k).



Re contact lenses: What does the term Dk mean?
 Dk is a measure of O₂ permeability. It is the product of two factors: O₂ diffusion coefficient (D) and O₂ solubility constant (k). Both D and k are material-dependent.



Re contact lenses: What does the term Dk mean?
 Dk is a measure of O₂ permeability. It is the product of two factors: O₂ diffusion coefficient (D) and O₂ solubility constant (k). Both D and k are material-dependent. Soft CLs typically have a Dk around #, while high-Dk RGPs made of silicone or fluoropolymers have Dks in the #10# range.



Re contact lenses: What does the term Dk mean?
 Dk is a measure of O₂ permeability. It is the product of two factors: O₂ diffusion coefficient (D) and O₂ solubility constant (k). Both D and k are material-dependent. Soft CLs typically have a Dk around 30, while high-Dk RGPs made of silicone or fluoropolymers have Dks in the 100-300 range.



 Re contact lenses: What does the term Dk mean? Dk is a measure of O_2 permeability. It is the product of two factors: O_2 diffusion coefficient (D) and O_2 solubility constant (k). Both D and k are material-dependent. Soft CLs typically have a Dk around 30, while high-Dk RGPs made of silicone or fluoropolymers have *Dk*s in the 100-300 range. All else being equal, a Dk is better, especially for compromised corneas (e.g., s/p PK).



 Re contact lenses: What does the term Dk mean? Dk is a measure of O_2 permeability. It is the product of two factors: O_2 diffusion coefficient (D) and O_2 solubility constant (k). Both D and k are material-dependent. Soft CLs typically have a Dk around 30, while high-Dk RGPs made of silicone or fluoropolymers have *Dk*s in the 100-300 range. All else being equal, a high Dk is better, especially for compromised corneas (e.g., s/p PK).