



American Academy of Ophthalmic Executives®

# Pediatrics/Strabismus ICD-10-CM Quick Reference Guide

Effective Oct. 1, 2020

<b>Amblyopia</b>					
TYPE	RT	LT	BOTH	SINGLE CODE	UNSPECIFIED
Deprivation	H53.011	H53.012	H53.013	X	<del>H53.019</del>
Refractive	H53.021	H53.022	H53.023	X	<del>H53.029</del>
Strabismic	H53.031	H53.032	H53.033	X	<del>H53.039</del>
Suspect	H53.041	H53.042	H53.043	X	<del>H53.049</del>
Unspecified	H53.001	H53.002	H53.003	X	<del>H53.009</del>
<b>Arthritis</b> Includes, but not limited to:					
TYPE	RT	LT	BOTH	SINGLE CODE	UNSPECIFIED
<i>Juvenile rheumatoid arthritis with systemic onset, other specified site</i>	X	X	X	<i>M08.2A</i>	X
Juvenile rheumatoid arthritis, unspecified	X	X	X	M08.00	X
<i>Other rheumatoid arthritis with rheumatoid factor of other specified site</i> <i>Other specified rheumatoid arthritis, other specified</i>	X	X	X	<i>M05.8A</i>	X
<i>Other specified rheumatoid arthritis, other specified site</i>	X	X	X	<i>M06.8A</i>	X
<i>Rheumatoid arthritis without rheumatoid factor, other specified site</i>	X	X	X	<i>M06.0A</i>	X
<i>Unspecified juvenile rheumatoid arthritis, other specified site</i>	X	X	X	<i>M08.0A</i>	X

*Italicized codes = new codes as of Oct. 1, 2020*

**Conjunctivitis** Includes, but not limited to:

TYPE	RT	LT	BOTH	SINGLE CODE	UNSPECIFIED
Acute atopic	H10.11	H10.12	H10.13	X	X
Acute follicular	H10.011	H10.012	H10.013	X	<del>H10.019</del>
Acute toxic	H10.211	H10.212	H10.213	X	<del>H10.219</del>
Angular blepharoconjunctivitis	H10.521	H10.522	H10.523	X	<del>H10.529</del>
Chronic follicular	H10.431	H10.432	H10.433	X	<del>H10.439</del>
Chronic giant papillary	H10.411	H10.412	H10.413	X	<del>H10.419</del>
Contact blepharoconjunctivitis	H10.531	H10.532	H10.533	X	<del>H10.539</del>
Due to adenovirus	X	X	X	B30.1	X
Herpesviral	X	X	X	B00.53	X
Neonatal	X	X	X	P39.1	X
Other chronic allergic	X	X	X	H10.45	X
Other mucopurulent	H10.021	H10.022	H10.023	X	<del>H10.029</del>
Phlyctenular keratoconjunctivitis	H16.251	H16.252	H16.253	X	<del>H16.259</del>
Rosacea conjunctivitis	H10.821	H10.822	H10.823	X	<del>H10.829</del>
Simple chronic	H10.421	H10.422	H10.423	X	<del>H10.429</del>
Vernal	X	X	X	H10.44	X

**Esotropia**

TYPE	RT	LT	BOTH	SINGLE CODE	UNSPECIFIED
Accommodative component in esotropia	X	X	X	H50.43	X
Alternating	X	X	X	H50.05	X
Alternating, with A pattern	X	X	X	H50.06	X
Alternating, with V pattern	X	X	X	H50.07	X
Alternating, other	X	X	X	H50.08	X
Intermittent alternating	X	X	X	H50.32	X
Intermittent monocular	H50.311	H50.312	X	X	X
Monocular	H50.011	H50.012	X	X	X
Monocular, with A pattern	H50.021	H50.022	X	X	X
Monocular, with V pattern	H50.031	H50.032	X	X	X
Monocular, with other noncomitancies	H50.041	H50.042	X	X	X
Unspecified	X	X	X	H50.00	X

<b>Exotropia</b>					
TYPE	RT	LT	BOTH	SINGLE CODE	UNSPECIFIED
Alternating	X	X	X	H50.15	X
Alternating, with A pattern	X	X	X	H50.16	X
Alternating, with V pattern	X	X	X	H50.17	X
Alternating, other	X	X	X	H50.18	X
Intermittent alternating	X	X	X	H50.34	X
Intermittent monocular	H50.331	H50.332	X	X	X
Monocular	H50.111	H50.112	X	X	X
Monocular, with A pattern	H50.121	H50.122	X	X	X
Monocular, with V pattern	H50.131	H50.132	X	X	X
Monocular, with other noncomitancies	H50.141	H50.142	X	X	X
Unspecified	X	X	X	H50.10	X
Alternating	X	X	X	H50.15	X
Alternating, with A pattern	X	X	X	H50.16	X
Alternating, with V pattern	X	X	X	H50.17	X
Monocular, with other noncomitancies	H50.141	H50.142	X	X	X
Unspecified	X	X	X	H50.10	X
<b>Eyelids</b> Includes, but not limited to:					
TYPE	RT	LT	BOTH	SINGLE CODE	UNSPECIFIED
Blepharitis, unspecified	H01.001, H01.002, H01.00A	H01.004, H01.005' H01.00B	X	X	<del>H01.003,</del> <del>H01.006,</del> <del>H01.009</del>
Chalazion	H00.11, H00.12	H00.14, H00.15	X	X	<del>H00.13,</del> <del>H00.16,</del> <del>H00.19</del>
These codes include lid laterality as the last character: 1-RUL, 2-RLL, 4-LUL, 5-LLL					
<b>Lens</b> Includes, but not limited to:					
TYPE	RT	LT	BOTH	SINGLE CODE	UNSPECIFIED
Aphakia	H27.01	H27.02	H27.03	X	<del>H27.00</del>
Anterior subcapsular polar infantile and juvenile cataract	H26.041	H26.042	H26.043	X	<del>H26.049</del>
Infantile and juvenile cortical, lamellar or zonular cataract	H26.011	H26.012	H26.013	X	<del>H26.019</del>
Infantile and juvenile nuclear cataract	H26.031	H26.032	H26.033	X	<del>H26.039</del>

<b>Lens Includes, but not limited to: (cont.)</b>					
TYPE	RT	LT	BOTH	SINGLE CODE	UNSPECIFIED
Posterior subcapsular polar infantile and juvenile cataract	H26.051	H26.052	H26.053	X	<del>H26.059</del>
Pseudophakia	X	X	X	Z96.1	X
Secondary cataract	H26.491	H26.492	H26.493	X	<del>H26.499</del>
Subluxation of lens	H27.111	H27.112	H27.113	X	<del>H27.119</del>
Total traumatic cataract	H26.131	H26.132	H26.133	X	<del>H26.139</del>
<b>Mass Includes, but not limited to:</b>					
TYPE	RT	LT	BOTH	SINGLE CODE	UNSPECIFIED
Benign neoplasm of orbit, unspecified site	D31.61	D31.62	X	X	<del>D31.60</del>
Hemangioma of skin and subcutaneous sites	X	X	X	D18.01	X
Hemangioma of other sites	X	X	X	D18.09	X
<b>Miscellaneous</b>					
TYPE	RT	LT	BOTH	SINGLE CODE	UNSPECIFIED
Abrasion, conjunctival	S05.01X-	S05.02X-	X	X	<del>S05.00X-</del>
Abrasion, corneal	S05.01X-	S05.02X-	X	X	<del>S05.00X-</del>
Cerebral palsy, unspecified	X	X	X	G80.9	X
Conjunctival foreign body	T15.11X-	T15.12X-	X	X	<del>T15.10X-</del>
Corneal foreign body	T15.01X-	T15.02X-	X	X	<del>T15.10X-</del>
<b>The appropriate 7th character to be added: A-initial encounter or D-subsequent encounter</b>					
Anisocoria	X	X	X	H57.02	X
Aniridia	X	X	X	Q13.1	X
Blepharospasm	X	X	X	G24.5	X
Convergence Insufficiency	X	X	X	H51.11	X
Cortical blindness	H47.611	H47.612	X	X	<del>H47.619</del>
Diplopia	X	X	X	H53.2	X
<i>Headache with orthostatic component, not elsewhere classified</i>	X	X	X	<i>R51.0</i>	X
<i>Headache, unspecified</i>	X	X	X	<i>R51.9</i>	X
Marcus Gunn's syndrome	X	X	X	Q07.8	X
Newborn affected by maternal use of unspecified drugs of addiction	X	X	X	P04.40	X

*Italicized codes = new codes as of Oct. 1, 2020*

<b>Miscellaneous (cont.)</b>					
TYPE	RT	LT	BOTH	SINGLE CODE	UNSPECIFIED
Observation and evaluation of newborn for other specified suspected condition ruled out	X	X	X	Z05.8	X
Ocular pain	H57.11	H57.12	H57.13	X	<del>H57.10</del>
Other cerebral palsy	X	X	X	G80.9	X
Other specified disorders of binocular movement	X	X	X	H51.8	X
Other specified disorders of eye and adnexa	X	X	X	H57.89	X
Retinoblastoma	C69.21	C69.22	X	C69.20	X
Unspecified disorder of eye and adnexa	X	X	X	H57.9	X
Unspecified disorder of visual pathways	X	X	X	H47.9	X
Unspecified intellectual disabilities	X	X	X	F79	X
Unspecified visual loss	X	X	X	H54.7	X
<b>Nystagmus</b>					
TYPE	RT	LT	BOTH	SINGLE CODE	UNSPECIFIED
Congenital	X	X	X	H55.01	X
Dissociated	X	X	X	H55.04	X
Latent	X	X	X	H55.02	X
Other forms	X	X	X	H55.09	X
Unspecified	X	X	X	H55.00	X
Visual deprivation	X	X	X	H55.03	X
<b>Palsies</b>					
TYPE	RT	LT	OU	SINGLE CODE	UNSPECIFIED
Third oculomotor nerve	H49.01	H49.02	H49.03	X	<del>H49.00</del>
Fourth oculomotor nerve	H49.11	H49.12	H49.13	X	<del>H49.10</del>
Sixth oculomotor nerve	H49.21	H49.22	H49.23	X	<del>H49.20</del>
Other paralytic strabismus	H49.881	H49.882	H49.883	X	<del>H49.889</del>
Progressive external ophthalmoplegia	H49.41	H49.42	H49.43	X	<del>H49.40</del>
Total (external) ophthalmoplegia	H49.31	H49.32	H49.33	X	<del>H49.30</del>
Unspecified	X	X	X	H49.9	X

<b>Ptosis</b>					
TYPE	RT	LT	BOTH	SINGLE CODE	UNSPECIFIED
Congenital	X	X	X	Q10.0	X
Mechanical	H02.411	H02.412	H02.413	X	<del>H02.419</del>
Myogenic	H02.421	H02.422	H02.423	X	<del>H02.429</del>
Paralytic	H02.431	H02.432	H02.433	X	<del>H02.439</del>
Congenital	X	X	X	Q10.0	X
Mechanical	H02.411	H02.412	H02.413	X	<del>H02.419</del>
Myogenic	H02.421	H02.422	H02.423	X	<del>H02.429</del>
<b>Refractive</b>					
TYPE	RT	LT	BOTH	SINGLE CODE	UNSPECIFIED
Anisometropia	X	X	X	H52.31	X
Astigmatism, irregular	H52.211	H52.212	H52.213	X	<del>H52.219</del>
Astigmatism, regular	H52.221	H52.222	H52.223	X	<del>H52.229</del>
Exam of eyes and vision with abnormal findings	X	X	X	Z01.01	X
Exam of eyes and vision without abnormal findings	X	X	X	Z01.00	X
<b>Refractive (cont.)</b>					
TYPE	RT	LT	BOTH	SINGLE CODE	UNSPECIFIED
Failed vision screening with abnormal findings	X	X	X	Z01.021	X
Failed vision screening without abnormal findings	X	X	X	Z01.020	X
Hypermetropia	H52.01	H52.02	H52.03	X	<del>H52.00</del>
Myopia	H52.11	H52.12	H52.13	X	<del>H52.10</del>
Routine vision exam infant/child $\geq$ 28 days with abnormal findings	X	X	X	Z21.121	X
Routine vision exam infant/child $\geq$ 28 days without abnormal findings	X	X	X	Z21.129	X

<b>Retinopathy of Prematurity</b>					
TYPE	RT	LT	BOTH	SINGLE CODE	UNSPECIFIED
Stage 0	H35.111	H35.112	H35.113	X	<del>H35.119</del>
Stage 1	H35.121	H35.122	H35.123	X	<del>H35.129</del>
Stage 2	H35.131	H35.132	H35.133	X	<del>H35.139</del>
Stage 3	H35.141	H35.142	H35.143	X	<del>H35.149</del>
Stage 4	H35.151	H35.152	H35.153	X	<del>H35.159</del>
Stage 5	H35.161	H35.162	H35.163	X	<del>H35.169</del>
Unspecified	H35.101	H35.102	H35.103	X	<del>H35.109</del>
<b>Strabismus</b>					
TYPE	RT	LT	BOTH	SINGLE CODE	UNSPECIFIED
Alternating heterophoria	X	X	X	H50.55	X
Cyclophoria	X	X	X	H50.54	X
Duane's Syndrome	H50.811	H50.812	X	X	X
Esophoria	X	X	X	H50.51	X
Exophoria	X	X	X	H50.52	X
Heterophoria	X	X	X	H50.50	X
Hypertropia/Vertical	H50.21	H50.22	X	X	X
Mechanical (Brown's Sheath syndrome)	H50.611	H50.612	X	H50.60	X
Other mechanical	X	X	X	H50.69	X
Other specified	X	X	X	H50.89	X
Pseudostrabismus	X	X	X	Q10.3	X
Unspecified	X	X	X	H50.9	X
Vertical heterophoria	X	X	X	H50.53	X
<b>Systemic</b>					
TYPE	RT	LT	BOTH	SINGLE CODE	UNSPECIFIED
Classical Ehlers-Danlos syndrome	X	X	X	Q79.61	X
Diabetes mellitus, type 1 without complications	X	X	X	E10.9	X
Down's syndrome, unspecified	X	X	X	Q90.9	X
Ehlers-Danlos syndrome, unspecified	X	X	X	X	<del>Q79.60</del>
Hypermobility Ehlers-Danlos syndrome	X	X	X	Q79.62	X
Marfan's syndrome	X	X	X	Q87.42	X
Myasthenia Gravis with (acute) exacerbation	X	X	X	G70.01	X
Myasthenia Gravis without (acute)	X	X	X	G70.00	X

<b>Systemic (continuation)</b>					
TYPE	RT	LT	BOTH	SINGLE CODE	UNSPECIFIED
Neurofibromatosis, type 1	X	X	X	Q85.01	X
Neurofibromatosis, type 2	X	X	X	Q85.02	X
Neurofibromatosis, other	X	X	X	Q85.09	X
Other Ehlers-Danlos syndromes	X	X	X	Q79.69	X
Prader-Willi syndrome	X	X	X	Q87.11	X
Port Wine Stain	X	X	X	Q82.5	X
Sturge-Weber	X	X	X	Q85.8	X
Torticollis, congenital	X	X	X	Q68.0	X
<b>Uveitis Iridocyclitis</b>					
TYPE	RT	LT	BOTH	SINGLE CODE	UNSPECIFIED
Chronic	H20.11	H20.12	H20.13	X	<del>H20.10</del>
Panuveitis	H44.111	H44.112	H44.113	X	<del>H44.119</del>
Posterior cyclitis	H30.21	H30.22	H30.23	X	<del>H30.20</del>
Primary	H20.011	H20.012	H20.013	X	<del>H20.019</del>
Secondary infectious	H20.031	H20.032	H20.033	X	<del>H20.039</del>
Secondary noninfectious	H20.041	H20.042	H20.043	X	<del>H20.049</del>
Sympathetic	H44.131	H44.132	H44.133	X	<del>H44.139</del>

Disclaimer and Limitation of Liability: All information provided by the American Academy of Ophthalmology, its employees, agents, or representatives participating in the Academy's coding service is as current and reliable as reasonably possible. The Academy does not provide legal or accounting services or advice. You should seek legal and/or accounting advice if appropriate to your situation. Coding is a complicated process involving continually changing rules and the application of judgment to factual situations. The Academy does not guarantee or warrant that either public or private payers will agree with the Academy's information or recommendations. The Academy shall not be liable to you or any other party to any extent whatsoever for errors in, or omissions from any such information provided by the Academy, its employees, agents, or representatives. The Academy's sole liability for any claim connected to its provision of coding information or services shall be limited to the amount paid by you to the Academy for the information or coding service.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior written permission from the publisher.