



American Academy of Ophthalmic Executives®

## Oculofacial ICD-10-CM Quick Reference Guide

Effective Oct. 1, 2022

### Ectropion

TYPE	RT	LT	BOTH	SINGLE CODE	UNSPECIFIED
Cicatricial	H02.111 H02.112	H02.114 H02.115	X	X	<del>H02.113</del> <del>H02.116</del> <del>H02.119</del>
Mechanical	H02.121 H02.122	H02.124 H02.125	X	X	<del>H02.123</del> <del>H02.126</del> <del>H02.129</del>
Paralytic	H02.151 H02.152	H02.154 H02.155	X	X	<del>H02.153</del> <del>H02.156</del> <del>H02.159</del>
Senile	H02.131 H02.132	H02.134 H02.135	X	X	<del>H02.133</del> <del>H02.136</del> <del>H02.139</del>
Spastic	H02.141 H02.142	H02.144 H02.145	X	X	<del>H02.143</del> <del>H02.146</del> <del>H02.149</del>

These codes include lid laterality as the last character: 1-RUL, 2-RLL, 4-LUL, 5-LLL

### Entropion

TYPE	RT	LT	BOTH	SINGLE CODE	UNSPECIFIED
Cicatricial	H02.011 H01.012	H02.014 H02.015	X	X	<del>H02.013</del> <del>H02.016</del> <del>H02.019</del>
Mechanical	H02.021 H02.022	H02.024 H02.025	X	X	<del>H02.113</del> <del>H02.116</del> <del>H02.119</del>
Senile	H02.031 H02.032,	H02.034 H02.035	X	X	<del>H02.033</del> <del>H02.036</del> <del>H02.039</del>
Spastic	H02.041 H02.042	H02.044 H02.045	X	X	<del>H02.143</del> <del>H02.146</del> <del>H02.149</del>

These codes include lid laterality as the last character: 1-RUL, 2-RLL, 4-LUL, 5-LLL

**Eyelid**

<b>TYPE</b>	<b>RT</b>	<b>LT</b>	<b>BOTH</b>	<b>SINGLE CODE</b>	<b>UNSPECIFIED</b>
Abscess of eyelid	H00.031 H00.032	H00.034 H00.035	X	X	<del>H00.033</del> <del>H00.036</del> <del>H00.039</del>
Basal cell carcinoma of skin of eyelid, including canthus	C44.1121 C44.1122	C44.1191 C44.1192	X	X	<del>C44.111</del>
Blepharitis, unspecified	H01.001H H01.002 H01.00A	H01.004 H01.005 H01.00B	X	X	<del>H01.003</del> <del>H01.006</del> <del>H01.009</del>
Blepharochalasis (eg. pseudoptosis)	H02.31 H02.32	H02.34 H02.35	X	X	<del>H02.30</del> <del>H02.33</del> <del>H02.36</del>
Belpharophimosis (eg. Ankyloblepharon)	H02.521 H02.522	H02.524 H02.525	X	X	<del>H02.523</del> <del>H02.526</del> <del>H02.529</del>
Blepharospasm	X	X	X	G24.5	X
Chalazion	H00.11 H00.12	H00.14 H00.15	X	X	<del>H00.13</del> <del>H00.16</del> <del>H00.19</del>
Cysts of eyelids	H02.821 H02.822	H02.824 H02.825	X	X	<del>H02.823</del> <del>H02.826</del> <del>H02.829</del>
Dermatochalasis	H02.831 H02.832	H02.834 H02.835	X	X	<del>H02.833</del> <del>H02.836</del> <del>H02.839</del>
Edema of eyelid	H02.841 H02.842	H02.844 H02.845	X	X	<del>H02.843</del> <del>H02.846</del> <del>H02.849</del>
Hordeolum externum	H00.011 H00.012	H00.014 H00.015	X	X	<del>H00.013</del> <del>H00.016</del> <del>H00.019</del>
Hordeolum internum	H00.021 H00.022	H00.024 H00.025	X	X	<del>H00.023</del> <del>H00.026</del> <del>H00.029</del>
Malignant melanoma of eyelid, including canthus	C43.111 C43.112	C43.121 C43.122	X	X	<del>C43.10</del>
Trichiasis without entropion	H02.051 H02.052	H02.054 H02.055	X	X	<del>H02.053</del> <del>H02.056</del> <del>H02.059</del>
Ulcerative blepharitis	H01.011 H01.012 H01.01A	H01.014 H01.015 H01.01B	X	X	<del>H01.013</del> <del>H01.016</del> <del>H01.019</del>

Boxes with two codes listed include lid laterality as the last character: 1-RUL, 2-RLL, 4-LUL, 5-LLL, A-R upper & lower, B-L upper & lower, C-OU upper & lower

**Fracture**

The appropriate 7th character to be added to below: A-initial encounter for closed fracture, B-initial encounter for open fracture, D-subsequent encounter for fracture with routine healing, G-subsequent encounter for fracture with delayed healing, K-subsequent encounter for fracture with nonunion, or S-Sequela

<b>TYPE</b>	<b>RT</b>	<b>LT</b>	<b>BOTH</b>	<b>SINGLE CODE</b>	<b>UNSPECIFIED</b>
Lateral orbital wall	S02.841-	S02.842-	X	X	<del>S02.849-</del>
Malar	S02.40A-	S02.40B-	X	X	<del>S02.400-</del>
Maxillary	S02.40C-	S02.40D-	X	X	<del>S02.401-</del>
Medial orbital wall	S02.831-	S02.832-	X	X	<del>S02.839-</del>
Orbital floor	S02.31X-	S02.32X-	X	X	<del>S02.30X-</del>
Orbital roof	S02.121-	S02.122-	X	X	<del>S02.129-</del>
Zygomatic	S02.40E-	S02.40F-	X	X	<del>S02.403-</del>

**Lacrimal**

<b>TYPE</b>	<b>RT</b>	<b>LT</b>	<b>BOTH</b>	<b>SINGLE CODE</b>	<b>UNSPECIFIED</b>
Acquired stenosis of nasolacrimal duct	H04.551	H04.552	H04.553	X	<del>H04.559</del>
Acute Dacryoadenitis	H04.011	H04.012	H04.013	X	<del>H04.019</del>
Chronic Dacryoadenitis	H04.021	H04.022	H04.023	X	<del>H04.029</del>
Dacryops	H04.111	H04.112	H04.113	X	<del>H04.119</del>
Dry eye syndrome	H04.121	H04.122	H04.123	X	<del>H04.129</del>
Epiphora due to excess lacrimation	H04.211	H04.212	H04.213	X	<del>H04.219</del>
Epiphora due to insufficient drainage	H04.221	H04.222	H04.223	X	<del>H04.229</del>
Eversion of lacrimal punctum	H04.521	H04.522	H04.523	X	<del>H04.529</del>
Lacrimal cyst	H04.131	H04.132	H04.133	X	<del>H04.139</del>
Stenosis of lacrimal canaliculi	H04.541	H04.542	H04.543	X	<del>H04.549</del>
Stenosis of lacrimal punctum	H04.561	H04.562	H04.563	X	<del>H04.569</del>

**Lagophthalmos**

<b>TYPE</b>	<b>RT</b>	<b>LT</b>	<b>BOTH</b>	<b>SINGLE CODE</b>	<b>UNSPECIFIED</b>
Cicatricial	H02.211	H02.214	H02.21C	X	<del>H02.213</del>
	H02.212	H02.215			<del>H02.216</del>
	H02.21A	H02.21B			<del>H02.219</del>
Eyelid retraction or lag	H02.531	H02.534	X	X	<del>H02.533</del>
	H02.532	H02.535			<del>H02.536</del>
Mechanical	H02.221	H02.224	H02.22C	X	<del>H02.233</del>
	H02.222	H02.225			<del>H02.236</del>
	H02.22A	H02.22B			<del>H02.239</del>
Paralytic	H02.231	H02.234	H02.23C	X	<del>H02.223</del>

**Oculofacial ICD-10-CM Quick Reference Guide** *Continued*

	H02.232 H02.23A	H02.235 H02.23B			H02.226 H02.229
Unspecified	H02.201 H02.202 H02.20A	H02.204 H02.205 H02.20B	H02.20C	X	H02.203 H02.206 H02.209

These codes include lid laterality as the last character: 1-RUL, 2-RLL, 4-LUL, 5-LLL, A-R upper & lower, B-L upper & lower, C-OU upper & lower

**Miscellaneous**

TYPE	RT	LT	BOTH	SINGLE CODE	UNSPECIFIED
Actinic keratosis	X	X	X	L57.0	✗
Atrophy of globe (eg. Phthisis bulbi)	H44.521	H44.522	H44.523	X	<del>H44.529</del>
Clonic hemifacial spasm	G51.31	G51.32	G51.33	X	<del>G51.39</del>
Floppy eyelid syndrome	X	X	X	H02.89	✗
Thyrototoxicosis with diffuse goiter with thyrotoxic crisis or storm (eg. Graves' Disease)	X	X	X	E05.01	✗
Thyrototoxicosis with diffuse goiter without thyrotoxic crisis or storm (eg. Graves' Disease)	X	X	E05.00	X	✗
Other seborrheic keratosis	X	X	X	L82.1	✗
Other specified disorders of eye & adnexa	X	X	X	H57.89	✗

**The appropriate 7th character to be added to below: A-initial encounter, D-subsequent encounter, or S-Sequela**

Burn of eyelid and periocular area	T26.01X-	T26.02X-	X	X	<del>T26.00X-</del>
Contusion of eyelid and periocular area	S00.11X-	S00.12X-	X	X	<del>S00.10X-</del>
Foreign body in conjunctival sac	T15.11X-	T15.12X-	X	X	<del>T15.10X-</del>
Foreign body in other and multiple parts of external eye (eg. in lacrimal punctum)	T15.81X-	T15.82X-	X	X	<del>T15.80X-</del>

**Orbit**

TYPE	RT	LT	BOTH	SINGLE CODE	UNSPECIFIED
Acquired absence of eye	X	X	X	Z90.01	✗
Constant exophthalmos	H05.241	H05.242	H05.243	X	<del>H05.249</del>
Edema of orbit	H05.221	H05.222	H05.223	X	<del>H05.229</del>
Hemorrhage of orbit	H05.231	H05.232	H05.233	X	<del>H05.239</del>
Intermittent exophthalmos	H05.251	H05.252	H05.253	X	<del>H05.259</del>
Pulsating exophthalmos	H05.261	H05.262	H05.263	X	<del>H05.269</del>

**Ptosis**

<b>TYPE</b>	<b>RT</b>	<b>LT</b>	<b>BOTH</b>	<b>SINGLE CODE</b>	<b>UNSPECIFIED</b>
Brow	H57.811	H57.812	H57.813	X	<del>H57.819</del>
Congenital	X	X	X	Q10.0	<del>X</del>
Mechanical	H02.411	H02.412	H02.413	X	<del>H02.419</del>
Myogenic	H02.421	H02.422	H02.423	X	<del>H02.429</del>
Paralytic	H02.431	H02.432	H02.433	X	<del>H02.439</del>