WEB EXTRA: CPT CODE 92133 (SCODI)

Ophthalmologists have more than 150 ICD-10 codes that can be linked to CPT code 92133 *Scanning computerized ophthalmic diagnostic imaging, posterior segment, with interpretation and report, unilateral or bilateral; optic nerve.*

(Note: To see if these codes have special instructions, such as Excludes1 notes, consider purchasing *ICD-10-CM for Ophthalmology* at www.aao.org/store.)

Disorders of Sclera, Cornea, Iris, and Ciliary Body (H15-H22)

H21.551	Recession of chamber angle, right eye
H21.552	Recession of chamber angle, left eye
H21.553	Recession of chamber angle, bilateral

Glaucoma (H40-H42)

H40.0 Glaucoma suspect

H40.011	Open angle with borderline findings, low risk, right eye
H40.012	Open angle with borderline findings, low risk, left eye
H40.013	Open angle with borderline findings, low risk, bilateral
H40.021	Open angle with borderline findings, high risk, right eye
H40.022	Open angle with borderline findings, high risk, left eye
H40.023	Open angle with borderline findings, high risk, bilateral
H40.031	Anatomical narrow angle, right eye
H40.032	Anatomical narrow angle, left eye
H40.033	Anatomical narrow angle, bilateral
H40.041	Steroid responder, right eye
H40.042	Steroid responder, left eye
H40.043	Steroid responder, bilateral
H40.051	Ocular hypertension, right eye
H40.052	Ocular hypertension, left eye
H40.053	Ocular hypertension, bilateral
H40.061	Primary angle closure without glaucoma damage, right eye
H40.062	Primary angle closure without glaucoma damage, left eye
H40.063	Primary angle closure without glaucoma damage, bilateral

H40.1 Open-angle glaucoma

H40.11X1	Primary open-angle glaucoma, mild stage
H40.11X2	Primary open-angle glaucoma, moderate stage
H40.11X3	Primary open-angle glaucoma, severe stage

H40.11X4	Primary open-angle glaucoma, indeterminate stage
H40.1211	Low-tension glaucoma, right eye, mild stage
H40.1212	Low-tension glaucoma, right eye, moderate stage
H40.1213	Low-tension glaucoma, right eye, severe stage
H40.1214	Low-tension glaucoma, right eye, indeterminate stage
H40.1221	Low-tension glaucoma, left eye, mild stage
H40.1222	Low-tension glaucoma, left eye, moderate stage
H40.1223	Low-tension glaucoma, left eye, severe stage
H40.1224	Low-tension glaucoma, left eye, indeterminate stage
H40.1231	Low-tension glaucoma, bilateral, mild stage
H40.1232	Low-tension glaucoma, bilateral, moderate stage
H40.1233	Low-tension glaucoma, bilateral, severe stage
H40.1234	Low-tension glaucoma, bilateral, indetermined stage
H40.1311	Pigmentary glaucoma, right eye, mild stage
H40.1312	Pigmentary glaucoma, right eye, moderate stage
H40.1313	Pigmentary glaucoma, right eye, severe stage
H40.1314	Pigmentary glaucoma, right eye, indeterminate stage
H40.1321	Pigmentary glaucoma, left eye, mild stage
H40.1322	Pigmentary glaucoma, left eye, moderate stage
H40.1323	Pigmentary glaucoma, left eye, severe stage
H40.1324	Pigmentary glaucoma, left eye, indeterminate stage
H40.1331	Pigmentary glaucoma, bilateral, mild stage
H40.1332	Pigmentary glaucoma, bilateral, moderate stage
H40.1333	Pigmentary glaucoma, bilateral, severe stage
H40.1334	Pigmentary glaucoma, bilateral, indeterminate stage
H40.1411	Capsular glaucoma with pseudoexfoliation of lens, right eye, mild stage
H40.1412	Capsular glaucoma with pseudoexfoliation of lens, right eye, moderate stage
H40.1413	Capsular glaucoma with pseudoexfoliation of lens, right eye, severe stage
H40.1414	Capsular glaucoma with pseudoexfoliation of lens, right eye, indeterminate stage
H40.1421	Capsular glaucoma with pseudoexfoliation of lens, left eye, mild stage
H40.1422	Capsular glaucoma with pseudoexfoliation of lens, left eye, moderate stage
H40.1423	Capsular glaucoma with pseudoexfoliation of

lens, left eye, severe stage

	H40.1424	Capsular glaucoma with pseudoexfoliation of lens, left eye, indeterminate stage	H40.243	Residual stage of angle-closure glaucoma, bilateral
	H40.1431	Capsular glaucoma with pseudoexfoliation of	H40.3 Glaucoma	secondary to eye trauma
	H40.1432	lens, bilateral, mild stage Capsular glaucoma with pseudoexfoliation of	H40.31X1	Glaucoma secondary to eye trauma, right eye, mild stage
	H40.1433	lens, bilateral, moderate stage Capsular glaucoma with pseudoexfoliation of	H40.31X2	Glaucoma secondary to eye trauma, right eye, moderate stage
	H40.1434	lens, bilateral, severe stage	H40.31X3	Glaucoma secondary to eye trauma, right eye,
		Capsular glaucoma with pseudoexfoliation of lens, bilateral, indeterminate stage	H40.31X4	severe stage Glaucoma secondary to eye trauma, right eye,
H40	•	angle-closure glaucoma		indeterminate stage
	H40.211	Acute angle-closure glaucoma, right eye (attack, crisis)	H40.32X1	Glaucoma secondary to eye trauma, left eye, mild stage
	H40.212	Acute angle-closure glaucoma, left eye (attack, crisis)	H40.32X2	Glaucoma secondary to eye trauma, left eye, moderate stage
	H40.213	Acute angle-closure glaucoma, bilateral (attack, crisis)	H40.32X3	Glaucoma secondary to eye trauma, left eye, severe stage
	H40.2211	Chronic angle-closure glaucoma, right eye, mild stage	H40.32X4	Glaucoma secondary to eye trauma, left eye, indeterminate stage
	H40.2212	Chronic angle-closure glaucoma, right eye, moderate stage	H40.33X1	Glaucoma secondary to eye trauma, bilateral, mild stage
	H40.2213	Chronic angle-closure glaucoma, right eye, severe stage	H40.33X2	Glaucoma secondary to eye trauma, bilateral, moderate stage
	H40.2214	Chronic angle-closure glaucoma, right eye, indeterminate stage	H40.33X3	Glaucoma secondary to eye trauma, bilateral, severe stage
	H40.2221	Chronic angle-closure glaucoma, left eye, mild stage	H40.33X4	Glaucoma secondary to eye trauma, bilateral, indeterminate stage
	H40.2222	Chronic angle-closure glaucoma, left eye, moder-	H40.4 Glaucoma	secondary to eye inflammation
		ate stage	H40.41X1	Glaucoma secondary to eye inflammation, right
	H40.2223	Chronic angle-closure glaucoma, left eye, severe		eye, mild stage
	H40.2224	stage Chronic angle-closure glaucoma, left eye, inde-	H40.41X2	Glaucoma secondary to eye inflammation, right eye, moderate stage
		terminate stage	H40.41X3	Glaucoma secondary to eye inflammation, right
	H40.2231	Chronic angle-closure glaucoma, bilateral, mild		eye, severe stage
	1140 0000	stage	H40.41X4	Glaucoma secondary to eye inflammation, right
	H40.2232	Chronic angle-closure glaucoma, bilateral, moderate stage	1140-42V1	eye, indeterminate stage
	H40.2233	Chronic angle-closure glaucoma, bilateral,	H40.42X1	Glaucoma secondary to eye inflammation, left eye, mild stage
		severe stage	H40.42X2	Glaucoma secondary to eye inflammation, left
	H40.2234	Chronic angle-closure glaucoma, bilateral, inde-		eye, moderate stage
	H40.231	terminate stage Intermittent angle-closure glaucoma, right eye	H40.42X3	Glaucoma secondary to eye inflammation, left eye, severe stage
	H40.232	Intermittent angle-closure glaucoma, left eye	H40.42X4	Glaucoma secondary to eye inflammation, left
	H40.233	Intermittent angle-closure glaucoma, bilateral		eye, indeterminate stage
	H40.241	Residual stage of angle-closure glaucoma, right eye	H40.43X1	Glaucoma secondary to eye inflammation, bilateral, mild stage
	H40.242	Residual stage of angle-closure glaucoma, left eye	H40.43X2	Glaucoma secondary to eye inflammation, bilateral, moderate stage

H40.43X3	Glaucoma secondary to eye inflammation, bilateral, severe stage	H40.63X2	Glaucoma secondary to drugs, bilateral, moderate stage
H40.43X4	Glaucoma secondary to eye inflammation, bilateral, indeterminate stage	H40.63X3	Glaucoma secondary to drugs, bilateral, severe stage
H40.5 Glaucoma	a secondary to other eye disorders	H40.63X4	Glaucoma secondary to drugs, bilateral, indeter-
H40.51X1	Glaucoma secondary to other eye disorders, right		minate stage
	eye, mild stage	H40.8 Other gla	
H40.51X2	Glaucoma secondary to other eye disorders, right eye, moderate stage	H40.811	Glaucoma with increased episcleral venous pressure, right eye
H40.51X3	Glaucoma secondary to other eye disorders, right eye, severe stage	H40.812	Glaucoma with increased episcleral venous pressure, left eye
H40.51X4	Glaucoma secondary to other eye disorders, right eye, indeterminate stage	H40.813	Glaucoma with increased episcleral venous pressure, bilateral
H40.52X1	Glaucoma secondary to other eye disorders, left	H40.821	Hypersecretion glaucoma, right eye
	eye, mild stage	H40.822	Hypersecretion glaucoma, left eye
H40.52X2	Glaucoma secondary to other eye disorders, left	H40.823	Hypersecretion glaucoma, bilateral
1140 5082	eye, moderate stage	H40.831	Aqueous misdirection, right eye (Malignant
H40.52X3	Glaucoma secondary to other eye disorders, left eye, severe stage		glaucoma)
H40.52X4	Glaucoma secondary to other eye disorders, left eye, indeterminate stage	H40.832	Aqueous misdirection, left eye (Malignant glaucoma)
H40.53X1	Glaucoma secondary to other eye disorders,	H40.833	Aqueous misdirection, bilateral (Malignant
1140.55%1	bilateral, mild stage	H40.89	glaucoma)
H40.53X2	Glaucoma secondary to other eye disorders, bilateral, moderate stage		Other specified glaucoma
H40.53X3	Glaucoma secondary to other eye disorders,	-	ic Nerve and Visual Pathways (H46-H47)
	bilateral, severe stage	H46 Optic neurit	
H40.53X4	Glaucoma secondary to other eye disorders,	H46.01 H46.02	Optic papillitis, right eye
UAD C Clausama	bilateral, indeterminate stage a secondary to drugs	H46.02 H46.03	Optic papillitis, left eye Optic papillitis, bilateral
	Glaucoma secondary to drugs, right eye, mild	H46.11	Retrobulbar neuritis, right eye, Excludes1: syphi-
	stage		litic retrobulbar neuritis (A52.15)
H40.61X2	Glaucoma secondary to drugs, right eye, moderate stage	H46.12	Retrobulbar neuritis, left eye, Excludes1: syphilitic retrobulbar neuritis (A52.15)
H40.61X3	Glaucoma secondary to drugs, right eye, severe stage	H46.13	Retrobulbar neuritis, bilateral, Excludes1: syphilitic retrobulbar neuritis (A52.15)
H40.61X4	Glaucoma secondary to drugs, right eye, indeter-	H47 Other disor	ders of optic (2nd) nerve and visual pathways
	minate stage	H47.231	Glaucomatous optic atrophy, right eye
H40.62X1	Glaucoma secondary to drugs, left eye, mild	H47.232	Glaucomatous optic atrophy, left eye
H40.62X2	stage	H47.233	Glaucomatous optic atrophy, bilateral
Π40.02Λ2	Glaucoma secondary to drugs, left eye, moderate stage		
H40.62X3	Glaucoma secondary to drugs, left eye, severe		ce and Blindness (H53-H54)
	stage		turbances
H40.62X4	Glaucoma secondary to drugs, left eye, indeter- minate stage	H53.15	Visual distortions of shape and size (Metamorphopsia)
H40.63X1	Glaucoma secondary to drugs, bilateral, mild stage	H53.411	Scotoma involving central area, right eye (Central scotoma)
	u -	H53.412	Scotoma involving central area, left eye (Central scotoma)

H53.413	Scotoma involving central area, bilateral (Central scotoma)
H53.421	Scotoma of blind spot area, right eye (Enlarged blind spot)
H53.422	Scotoma of blind spot area, left eye (Enlarged blind spot)
H53.423	Scotoma of blind spot area, bilateral (Enlarged blind spot)
H53.431	Sector or arcuate defects, right eye (Arcuate; Bjerrum scotoma)
H53.432	Sector or arcuate defects, left eye (Arcuate; Bjerrum scotoma)
H53.433	Sector or arcuate defects, bilateral (Arcuate; Bjerrum scotoma)
H53.451	Other localized visual field defect, right eye (Peripheral visual field defect, Ring scotoma NOS, Scotoma NOS)
H53.452	Other localized visual field defect, left eye (Peripheral visual field defect, Ring scotoma NOS, Scotoma NOS)

H53.453	Other localized visual field defect, bilateral (Peripheral visual field defect, Ring scotoma NOS, Scotoma NOS)
H53.481	Generalized contraction of visual field, right eye
H53.482	Generalized contraction of visual field, left eye
H53.483	Generalized contraction of visual field, bilateral

Congenital Malformations of Eye, Ear, Face, and Neck (Q10-Q18)

Q15.0 Congenital glaucoma (Axenfeld's anomaly, Buphthalmos)

Stay Up to Date

To find out about reference books, courses, and online updates, visit www.aao.org/coding.

And for monthly reviews of key coding issues, read *EyeNet Magazine*'s "Savvy Coder" column at www.eyenet.org.

EYENET · JUNE 2015